



VITESSENCE(TM) Pulse CT 3602

1.

GHS:

: 37401G00  
: VITESSENCE(TM) Pulse CT 3602 ( )

:  
:  
:

(  
): 40/14 12 ( - )

10540

: +662-725-0230 ( )

: CHEMTREC -  
( - 7 / 24 )  
( ): +1

703-741-5970

: +(61)-290372994

: 4001-204937

: 800-968-793\*

: 000-800-100-7141\*

: 001-803-017-9114\*

: +(81)-3-4520-9637

: +(60)-392125794, 1-800-815-308\*

: +(64)-98010034

: +(63) 2-395-3308, 1-800-1-116-1020\*

: +(65)-31581349, 800-101-2201\*

: +(82) 070-7686-0086, 00-308-13-2549\*

: +886-2-7741-4207\*, 00801-14-8954\*

: 001-800-13-203-9987\*

: +(84)-444581938

\*

(\*)

: 16

2.

GHS

:





5.

( ):

:

:

:

:

:

6.

:

:

“

”

:

7.

:

:

:

:

:

/

:



8.

	- TWA's	- STEL 's	- CEIL's

10 /

NIOSH

9.

pH

(1%):

6.5



GHS

/ :

GHS

/

:

GHS

:

GHS

:

GHS

:

GHS

:

:

GHS

:

GHS

:

GHS

:

:

	<b>LD50</b>	<b>LD50</b>	<b>LC50</b>

**12.**

): (

:

	<b>CAS</b>	<b>LC50</b>	<b>ERC50</b>	<b>EC50</b>

:

:

:

:



13.

:

14.

:

UN :

:

:

:

:

/ )):

(

(

Annex II Code): MAROL 73/78 IBC

IMO

:

15.

:

TSCA:

TSCA

FDA

21CFR 170.30

-

-

	CAS	-	-

-

	CAS	-

- FDA Existing Chemicals Inventory (TECI)



VITESSENCE(TM) Pulse CT 3602

	<b>CAS</b>	<b>- FDA Existing Chemicals Inventory (TECI)</b>

	<b>CAS</b>	

	<b>CAS</b>	

	<b>CAS</b>	

	<b>CAS</b>	

**16.**

: 02-01-2023  
 : 11-21-2022  
 : 4  
 :

( )  
 : +66-2-725-0200

:  
 Ingredion Incorporated      Ingredion Incorporated      Ingredion  
 Ingredion Incorporated





VITESSENCE(TM) Pulse CT 3602

---

Ingredion Incorporated

Ingredion

Ingredion

INGREDION

Ingredion Incorporated  
Ingredion